



ADAPTER REFERENCE LIST - All 8"Models

Membrane Make	Membrane Model	Adapter Kit 150 to 600 PSI	Adapter Kit 1000/1200 PSI	Type
---------------	----------------	-------------------------------	---------------------------	------

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

Filmtec (DOW)	BW30-365	50161	50165	Male
	BW30-365-FR	50161	50165	Male
	BW30-400	50161	50165	Male
	BW30-400/34i	50161	50165	Male
	BW30-400/34i-FR	50161	50165	Male
	BW30-400-FR	50161	50165	Male
	BW30-440i	50161	50165	Male
	BW30HR-440i	50161	50165	Male
	BW30LE-440	50168	50167	Male
	LE-400	50161	50165	Male
	LE-440i	50161	50165	Male
	NF270-400	50168	50167	Male
	NF-390-FF	50161	50165	Male
	NF-400	51405	51404	Male
	NF90-400	50168	50167	Male
	RO-390-FF	50161	50165	Male
	SR90-400i	50161	50165	Male
	SG30-400/34i	50161	50165	Male
	SG30LE-400	50161	50165	Male
	SG30LE-440i	50161	50165	Male
	SW30-380	50161	50165	Male
	SW30-8040	50161	50165	Male
	SW30HR 370/34i	50161	50165	Male
	SW30HR LE-400	50161	50165	Male
	SW30HR LE-400i	50161	50165	Male
	SW30HR-380	50161	50165	Male
	SW30ULE-400i	50161	50165	Male
	SW30XHR-400i	50161	50165	Male
	SW30XLE-400i	50161	50165	Male
	XLE-440	50168	50167	Male
	SR90-440i	50161	50165	Male
	HRLE-440i	50161	50165	Male
	SW30XHR-440i	50161	50165	Male
	BW30XFR-400/34i	50161	50165	Male
	SW30HRLE-440i	50161	50165	Male
GE - Osmonics / DESAL	AD8040F	50161	50165	Male
	AG8040C	50161	50165	Male
	AG8040F	50161	50165	Male
	AG8040F-400	50161	50165	Male
	AG8040F-400-CERT	50161	50165	Male
	AG8040F-CERT	50161	50165	Male
	AG8040N	50161	50165	Male
	AG8040N-400	50161	50165	Male
	AK8040C	50161	50165	Male
	AK8040F	50161	50165	Male
	AK8040F-400	50161	50165	Male
	AK8040F-400-CERT	50161	50165	Male
	AK8040N	50161	50165	Male
	AK8040N-400	50161	50165	Male
	CD8040F	50161	50165	Male
	CE8040F	50161	50165	Male
	CE8040N	50161	50165	Male
	CG8040F	50161	50165	Male
	CK8040F	50161	50165	Male
	CK8040N	50161	50165	Male
	Duracon™ NF-2 8040C-35D	50161	50165	Male
	Duracon™ NF-2 8040C-50D	50161	50165	Male
	DURASLICK NF 8040	50161	50165	Male
	DURASLICK NF 8040 HS	50161	50165	Male
	DURASLICK RO 8040	50161	50165	Male
	DURASLICK RO 8040 HS	50161	50165	Male
	DURATHERM HWS RO 8040	50161	50165	Male
	DURATHERM STD RO 8040	50161	50165	Male
	EW8040F	50161	50165	Male
	HL8040F	50161	50165	Male
	HL8040F-400	50161	50165	Male
	HL8040N	50161	50165	Male
	SEASOFT 8040 HF	50161	50165	Male
	SEASOFT 8040 HR	50161	50165	Male
	SWRO-370-HR	50161	50165	Male
	SWRO-400HR-WT	50161	50165	Male



ADAPTER REFERENCE LIST - All 8"Models

Membrane Make	Membrane Model	Adapter Kit 150 to 600 PSI	Adapter Kit 1000/1200 PSI	Type
---------------	----------------	-------------------------------	---------------------------	------

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

KOCH (Fluid Systems)	2822 HF-370	50161	50165	Male
	2822 SS-300	50161	50165	Male
	2822 SS-300 Premium	50161	50165	Male
	2822 SS-360	50161	50165	Male
	2822 SS-360 Premium	50161	50165	Male
	8040-HF-400	50161	50165	Male
	8040-HR-375	50161	50165	Male
	8040-HR-400	50161	50165	Male
	8040-S-410	50168	50167	Male
	8040-SW-335	50161	50165	Male
	8040-SW-400	50161	50165	Male
	8040-UPL-375	50168	50167	Male
	8323 UF	50168	50167	Male
	8723 SR2-400	50168	50167	Male
	8822 HR-365	50161	50165	Male
	8822 HR-365 Premium	50161	50165	Male
	8822 HR-400	50161	50165	Male
	8822 HR-400 Premium	50161	50165	Male
	8822 XR-365	50161	50165	Male
	8822 XR-400	50161	50165	Male
	8823 ULP-400	50168	50167	Male
	8923 S-400	50168	50167	Male
	ROGA-8040-HR-325	50161	50165	Male
	TFC-8040-SW-335	50161	50165	Male
	TFC-8040-XR-375	50161	50165	Male
	TFC-8040-XR-400	50161	50165	Male
	TFC-8040-SW-400	50161	50165	Male
	TFC-8040-FR-375	50161	50165	Male
	TFC-8040-FR-400	50161	50165	Male
	TFC-8822FR-365	50161	50165	Male
	TFC-8822FR-400	50161	50165	Male

Woongjin Chemical America Inc. CSM	NE8040-70	50161	50165	Male
	RE8040-BE	50161	50165	Male
	RE8040-BE440	50168	50167	Male
	RE8040-BLF	50161	50165	Male
	RE8040-BLN	50161	50165	Male
	RE8040-BN	50161	50165	Male
	RE8040-BN300	50161	50165	Male
	RE8040-FD	50161	50165	Male
	RE8040-FN	50161	50165	Male
	RE8040-FN300	50161	50165	Male
	RE8040-HUE440	50161	50165	Male
	RE8040-SHN	50161	50165	Male
	RE8040-SHN400	50161	50165	Male
	RE8040-SR	50161	50165	Male
	RE8040-UE	50161	50165	Male

Hydranautics	CPA2	50161	50165	Male
	CPA3	50161	50165	Male
	CPA3-LD	50161	50165	Male
	CPA4	50161	50165	Male
	CPA5-LD	50161	50165	Male
	ESNA1	50161	50165	Male
	ESNA1-LF	50161	50165	Male
	ESNA1-LF2	50161	50165	Male
	ESNA1-LF2	50161	50165	Male
	ESNA2	50161	50165	Male
	ESPA 2-LD	50161	50165	Male
	ESPA1	50161	50165	Male
	ESPA2	50161	50165	Male
	ESPA2+	50161	50165	Male
	ESPA3	50161	50165	Male
	ESPA3 MAX	50161	50165	Male
	ESPA4	50161	50165	Male
	ESPAB	50161	50165	Male
	LFC1	50161	50165	Male
	LFC2	50161	50165	Male
	LFC3	50161	50165	Male
	LFC3-LD	50161	50165	Male



ADAPTER REFERENCE LIST - All 8"Models

Membrane Make	Membrane Model	Adapter Kit 150 to 600 PSI	Adapter Kit 1000/1200 PSI	Type
---------------	----------------	-------------------------------	---------------------------	------

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

	SWC1	50161	50165	Male
	SWC2	50161	50165	Male
	SWC3	50161	50165	Male
	SWC3+	50161	50165	Male
	SWC4	50161	50165	Male
	SWC4+	50161	50165	Male
	SWC4+ Max	50161	50165	Male
	SWC4+B	50161	50165	Male
	SWC4B	50161	50165	Male
	SWC5	50161	50165	Male
	SWC5-LD	50161	50165	Male
	SWC5 MAX	50161	50165	Male
	SWC6 MAX	50161	50165	Male

Toray (Romembra)				
	TM720-365	50161	50165	Male
	TM720-370	50161	50165	Male
	TM720-400	50161	50165	Male
	TM720-430	50161	50165	Male
	TM720C-430	50161	50165	Male
	TM720L-400	50161	50165	Male
	TM720L-430	50161	50165	Male
	TM820-370	50161	50165	Male
	TM820-400	50161	50165	Male
	TM820A-370	50161	50165	Male
	TM820A-400	50161	50165	Male
	TM820B-370	50161	50165	Male
	TM820C-370	50161	50165	Male
	TM820C-400	50161	50165	Male
	TM820E-400	50161	50165	Male
	TM820F-400	50161	50165	Male
	TM820H-370	50161	50165	Male
	TM820H-400	50161	50165	Male
	TM820L-370	50161	50165	Male
	TM820L-400	50161	50165	Male
	TMG20-400C	50161	50165	Male
	TMG20-370	50168	50167	Male
	TMG20-400	50168	50167	Male
	TMC20-430	50168	50167	Male
	TMH20A-370	50168	50167	Male
	TMH20A-400	50168	50167	Male
	TMH20A-430	50168	50167	Male
	TML20-370	50161	50165	Male
	TML20-400	50161	50165	Male
	TML20N-400	50161	50165	Male

Trisep				
	8040-ACM1-TSA	50168	50167	Male
	8040-ACM2-TSA	50168	50167	Male
	8040-ACM2-TSAN	50168	50167	Male
	8040-ACM2-TSFA	50161	50165	Male
	8040-ACM2-UWA	50168	50167	Male
	8040-ACM2-UWAN	50168	50167	Male
	8040-ACM3-TSA	50168	50167	Male
	8040-ACM3-TSAN	50168	50167	Male
	8040-ACM3-UWA	50168	50167	Male
	8040-ACM3-UWAN	50168	50167	Male
	8040-ACM4-TSA	50168	50167	Male
	8040-ACM4-TSAN	50168	50167	Male



ADAPTER REFERENCE LIST - All 8"Models

Membrane Make	Membrane Model	Adapter Kit 150 to 600 PSI	Adapter Kit 1000/1200 PSI	Type
---------------	----------------	----------------------------	---------------------------	------

NOTE: Please check the membrane pressure rating before selecting the adapter kit.

The below Adapter list is for standard permeate port lengths. For non-standard permeate ports, kindly Contact CodeLine for suitable adapter type. For CodeLine Pressure Vessels of 75 PSI, please contact CodeLine for suitable adapter type.

The Adapter Kit is subject to change without prior notice. Please contact CodeLine for updated details.

	8040-ACM4-TSFA	50161	50165	Male
	8040-ACM4-UWA	50168	50167	Male
	8040-ACM4-UWAN	50168	50167	Male
	8040-ACM5-TSA	50168	50167	Male
	8040-ACM5-TSAN	50168	50167	Male
	8040-ACM5-URA	50168	50167	Male
	8040-ACM5-UWA	50168	50167	Male
	8040-ACM5-UWAN	50168	50167	Male
	8040-SB20-TSA	50168	50167	Male
	8040-SB50-TSA	50168	50167	Male
	8040-TS80-TSA	50168	50167	Male
	8040-TS80-TSAN	50168	50167	Male
	8040-TS80-UWA	50168	50167	Male
	8040-TS80-UWAN	50168	50167	Male
	8040-TS80-UWFA	50161	50165	Male
	8040-TS82-TSA	50168	50167	Male
	8040-TS83-TSA	50168	50167	Male
	8040-TS83-TSAN	50168	50167	Male
	8040-TS83-UWA	50168	50167	Male
	8040-TS83-UWAN	50168	50167	Male
	8040-X201-TSA	50168	50167	Male
	8040-X201-TSAN	50168	50167	Male
	8040-X201-TSFA	50161	50165	Male
	8040-X201-UWA	50168	50167	Male
	8040-X201-UWAN	50168	50167	Male
	8040-XN45-TSA	50168	50167	Male
	8040-XN45-TXA	50168	50167	Male
	8038-N2E8V6	50161	50165	Male

* The below adapter reference is only for 80L15-6 model

		Adapter Kit - 80L15-6	
X-FLOW	X-FLOW UF XIGA MODULE [SXL- 225 FSFC]	52535	Male

* The below adapter reference is only for 80E model

		Adapter Kit 300 to 600 PSI	Adapter Kit 1000/1200 PSI	
Nitto Denko	ES-20-D8	94514 (UPSTREAM-Through Hole Adapter kit)	Not Applicable	Female
		95187 (DOWNSTREAM-Through Hole Adapter kit)		Female
		95186 (UPSTREAM-Blind Adapter kit)		Female
		95187 (DOWNSTREAM-Through Hole Adapter kit)	Not Applicable	Female